



# WRNF WEAR RING



| APPLICATION |             |
|-------------|-------------|
| MATERIAL    | NY+FIBER    |
| TEMP.       | -50°C~120°C |
| SPEED       | 1m/s        |

| ITEM     | OD  | ID   | h    | t    | ITEM     | OD  | ID  | h    | t    |
|----------|-----|------|------|------|----------|-----|-----|------|------|
| WRNF-040 | 40  | 37.7 | 5.0  | 1.15 | WRNF-050 | 50  | 46  | 20.0 | 2.00 |
| WRNF-032 | 32  | 29   | 3.8  | 1.50 | WRNF-040 | 40  | 35  | 4.6  | 2.50 |
| WRNF-050 | 50  | 47   | 8.0  | 1.50 | WRNF-080 | 80  | 75  | 4.6  | 2.50 |
| WRNF-055 | 55  | 52   | 8.0  | 1.50 | WRNF-025 | 25  | 20  | 4.8  | 2.50 |
| WRNF-035 | 35  | 32   | 14.8 | 1.50 | WRNF-035 | 35  | 30  | 4.8  | 2.50 |
| WRNF-048 | 48  | 45   | 22.3 | 1.50 | WRNF-040 | 40  | 35  | 4.8  | 2.50 |
| WRNF-053 | 53  | 50   | 24.4 | 1.50 | WRNF-070 | 70  | 65  | 4.8  | 2.50 |
| WRNF-040 | 40  | 36   | 6.0  | 2.00 | WRNF-060 | 60  | 55  | 5.5  | 2.50 |
| WRNF-050 | 50  | 46   | 6.0  | 2.00 | WRNF-070 | 70  | 65  | 5.5  | 2.50 |
| WRNF-063 | 63  | 59   | 6.0  | 2.00 | WRNF-080 | 80  | 75  | 5.5  | 2.50 |
| WRNF-090 | 90  | 86   | 6.0  | 2.00 | WRNF-048 | 48  | 43  | 5.4  | 2.50 |
| WRNF-034 | 34  | 30   | 8.0  | 2.00 | WRNF-063 | 63  | 58  | 5.4  | 2.50 |
| WRNF-040 | 40  | 36   | 8.0  | 2.00 | WRNF-025 | 25  | 20  | 5.5  | 2.50 |
| WRNF-050 | 50  | 46   | 8.0  | 2.00 | WRNF-033 | 33  | 28  | 5.5  | 2.50 |
| WRNF-055 | 55  | 51   | 8.0  | 2.00 | WRNF-037 | 37  | 32  | 5.5  | 2.50 |
| WRNF-030 | 30  | 26   | 8.0  | 2.00 | WRNF-040 | 40  | 35  | 5.5  | 2.50 |
| WRNF-029 | 29  | 25   | 9.5  | 2.00 | WRNF-050 | 50  | 45  | 5.5  | 2.50 |
| WRNF-045 | 45  | 41   | 9.5  | 2.00 | WRNF-063 | 63  | 58  | 5.5  | 2.50 |
| WRNF-050 | 50  | 46   | 9.5  | 2.00 | WRNF-065 | 65  | 60  | 5.6  | 2.50 |
| WRNF-044 | 44  | 40   | 9.5  | 2.00 | WRNF-075 | 75  | 70  | 5.8  | 2.50 |
| WRNF-049 | 49  | 45   | 9.7  | 2.00 | WRNF-085 | 85  | 80  | 5.8  | 2.50 |
| WRNF-054 | 54  | 50   | 9.7  | 2.00 | WRNF-050 | 50  | 45  | 5.9  | 2.50 |
| WRNF-063 | 63  | 59   | 9.7  | 2.00 | WRNF-055 | 55  | 50  | 5.9  | 2.50 |
| WRNF-064 | 64  | 60   | 9.7  | 2.00 | WRNF-065 | 65  | 60  | 5.9  | 2.50 |
| WRNF-100 | 100 | 96   | 9.7  | 2.00 | WRNF-070 | 70  | 65  | 5.9  | 2.50 |
| WRNF-125 | 125 | 121  | 9.7  | 2.00 | WRNF-090 | 90  | 85  | 5.9  | 2.50 |
| WRNF-035 | 35  | 31   | 10.0 | 2.00 | WRNF-095 | 95  | 90  | 5.9  | 2.50 |
| WRNF-050 | 50  | 46   | 10.0 | 2.00 | WRNF-100 | 100 | 95  | 5.9  | 2.50 |
| WRNF-062 | 62  | 58   | 10.0 | 2.00 | WRNF-105 | 105 | 100 | 5.9  | 2.50 |
| WRNF-065 | 65  | 61   | 10.0 | 2.00 | WRNF-110 | 110 | 105 | 5.9  | 2.50 |
| WRNF-080 | 80  | 76   | 10.0 | 2.00 | WRNF-085 | 85  | 80  | 6.0  | 2.50 |
| WRNF-045 | 45  | 41   | 12.0 | 2.00 | WRNF-080 | 80  | 75  | 6.8  | 2.50 |
| WRNF-049 | 49  | 45   | 12.0 | 2.00 | WRNF-070 | 70  | 65  | 6.9  | 2.50 |
| WRNF-063 | 63  | 59   | 12.0 | 2.00 | WRNF-055 | 55  | 50  | 7.7  | 2.50 |
| WRNF-039 | 39  | 35   | 12.5 | 2.00 | WRNF-063 | 63  | 58  | 7.7  | 2.50 |
| WRNF-029 | 29  | 25   | 12.8 | 2.00 | WRNF-040 | 40  | 35  | 8.0  | 2.50 |
| WRNF-045 | 45  | 41   | 15.0 | 2.00 | WRNF-050 | 50  | 45  | 8.0  | 2.50 |
| WRNF-050 | 50  | 46   | 15.0 | 2.00 | WRNF-060 | 60  | 55  | 8.0  | 2.50 |
| WRNF-075 | 75  | 71   | 15.0 | 2.00 | WRNF-065 | 65  | 60  | 8.0  | 2.50 |
| WRNF-044 | 44  | 40   | 20.0 | 2.00 | WRNF-070 | 70  | 65  | 8.0  | 2.50 |
| WRNF-045 | 45  | 41   | 20.0 | 2.00 | WRNF-080 | 80  | 75  | 8.0  | 2.50 |


# WRNF WEAR RING



| APPLICATION |             |
|-------------|-------------|
| MATERIAL    | NY+FIBER    |
| TEMP.       | -50°C~120°C |
| SPEED       | 1m/s        |

| ITEM     | OD  | ID  | h   | t    | ITEM     | OD  | ID  | h    | t    |
|----------|-----|-----|-----|------|----------|-----|-----|------|------|
| WRNF-140 | 140 | 135 | 8.0 | 2.50 | WRNF-130 | 130 | 125 | 9.5  | 2.50 |
| WRNF-145 | 145 | 140 | 8.0 | 2.50 | WRNF-135 | 135 | 130 | 9.5  | 2.50 |
| WRNF-150 | 150 | 145 | 8.0 | 2.50 | WRNF-140 | 140 | 135 | 9.5  | 2.50 |
| WRNF-085 | 85  | 80  | 7.9 | 2.50 | WRNF-145 | 145 | 140 | 9.5  | 2.50 |
| WRNF-095 | 95  | 90  | 7.9 | 2.50 | WRNF-150 | 150 | 145 | 9.5  | 2.50 |
| WRNF-100 | 100 | 95  | 7.9 | 2.50 | WRNF-160 | 160 | 155 | 9.5  | 2.50 |
| WRNF-110 | 110 | 105 | 7.9 | 2.50 | WRNF-170 | 170 | 165 | 9.5  | 2.50 |
| WRNF-115 | 115 | 110 | 7.9 | 2.50 | WRNF-180 | 180 | 175 | 9.5  | 2.50 |
| WRNF-120 | 120 | 115 | 7.9 | 2.50 | WRNF-190 | 190 | 185 | 9.5  | 2.50 |
| WRNF-125 | 125 | 120 | 7.9 | 2.50 | WRNF-200 | 200 | 195 | 9.5  | 2.50 |
| WRNF-130 | 130 | 125 | 7.9 | 2.50 | WRNF-090 | 90  | 85  | 9.7  | 2.50 |
| WRNF-135 | 135 | 130 | 7.9 | 2.50 | WRNF-110 | 110 | 105 | 9.7  | 2.50 |
| WRNF-155 | 155 | 150 | 7.9 | 2.50 | WRNF-115 | 115 | 110 | 9.7  | 2.50 |
| WRNF-032 | 32  | 27  | 8.9 | 2.50 | WRNF-120 | 120 | 115 | 9.7  | 2.50 |
| WRNF-037 | 37  | 32  | 8.9 | 2.50 | WRNF-125 | 125 | 120 | 9.7  | 2.50 |
| WRNF-080 | 80  | 75  | 9.1 | 2.50 | WRNF-130 | 130 | 125 | 9.7  | 2.50 |
| WRNF-055 | 55  | 50  | 9.4 | 2.50 | WRNF-150 | 150 | 145 | 9.7  | 2.50 |
| WRNF-025 | 25  | 20  | 9.5 | 2.50 | WRNF-040 | 40  | 35  | 10.0 | 2.50 |
| WRNF-030 | 30  | 25  | 9.5 | 2.50 | WRNF-045 | 45  | 40  | 10.0 | 2.50 |
| WRNF-035 | 35  | 30  | 9.5 | 2.50 | WRNF-055 | 55  | 50  | 10.0 | 2.50 |
| WRNF-041 | 41  | 36  | 9.5 | 2.50 | WRNF-080 | 80  | 75  | 10.0 | 2.50 |
| WRNF-045 | 45  | 40  | 9.5 | 2.50 | WRNF-090 | 90  | 85  | 10.0 | 2.50 |
| WRNF-050 | 50  | 45  | 9.5 | 2.50 | WRNF-170 | 170 | 165 | 10.0 | 2.50 |
| WRNF-055 | 55  | 50  | 9.5 | 2.50 | WRNF-175 | 175 | 170 | 10.0 | 2.50 |
| WRNF-060 | 60  | 55  | 9.5 | 2.50 | WRNF-185 | 185 | 180 | 10.0 | 2.50 |
| WRNF-061 | 61  | 56  | 9.5 | 2.50 | WRNF-080 | 80  | 75  | 10.0 | 2.50 |
| WRNF-063 | 63  | 58  | 9.5 | 2.50 | WRNF-100 | 100 | 95  | 11.5 | 2.50 |
| WRNF-065 | 65  | 60  | 9.5 | 2.50 | WRNF-120 | 120 | 115 | 12.3 | 2.50 |
| WRNF-068 | 68  | 63  | 9.5 | 2.50 | WRNF-135 | 135 | 130 | 12.3 | 2.50 |
| WRNF-070 | 70  | 65  | 9.5 | 2.50 | WRNF-150 | 150 | 145 | 12.3 | 2.50 |
| WRNF-075 | 75  | 70  | 9.5 | 2.50 | WRNF-170 | 170 | 165 | 12.3 | 2.50 |
| WRNF-080 | 80  | 75  | 9.5 | 2.50 | WRNF-130 | 130 | 125 | 12.5 | 2.50 |
| WRNF-085 | 85  | 80  | 9.5 | 2.50 | WRNF-140 | 140 | 135 | 12.5 | 2.50 |
| WRNF-090 | 90  | 85  | 9.5 | 2.50 | WRNF-055 | 55  | 50  | 12.7 | 2.50 |
| WRNF-095 | 95  | 90  | 9.5 | 2.50 | WRNF-130 | 130 | 125 | 12.7 | 2.50 |
| WRNF-100 | 100 | 95  | 9.5 | 2.50 | WRNF-063 | 63  | 58  | 12.8 | 2.50 |
| WRNF-105 | 105 | 100 | 9.5 | 2.50 | WRNF-080 | 80  | 75  | 12.8 | 2.50 |
| WRNF-110 | 110 | 105 | 9.5 | 2.50 | WRNF-090 | 90  | 85  | 12.8 | 2.50 |
| WRNF-115 | 115 | 110 | 9.5 | 2.50 | WRNF-100 | 100 | 95  | 12.8 | 2.50 |
| WRNF-120 | 120 | 115 | 9.5 | 2.50 | WRNF-068 | 68  | 63  | 14.7 | 2.50 |
| WRNF-125 | 125 | 120 | 9.5 | 2.50 | WRNF-040 | 40  | 35  | 15.0 | 2.50 |


# WRNF WEAR RING



| APPLICATION |             |
|-------------|-------------|
| MATERIAL    | NY+FIBER    |
| TEMP.       | -50°C~120°C |
| SPEED       | 1m/s        |

| ITEM     | OD  | ID  | h    | t    | ITEM     | OD  | ID  | h    | t    |
|----------|-----|-----|------|------|----------|-----|-----|------|------|
| WRNF-045 | 45  | 40  | 15.0 | 2.50 | WRNF-055 | 55  | 50  | 15.8 | 2.50 |
| WRNF-050 | 50  | 45  | 15.0 | 2.50 | WRNF-045 | 45  | 40  | 20.0 | 2.50 |
| WRNF-055 | 55  | 50  | 15.0 | 2.50 | WRNF-050 | 50  | 45  | 20.0 | 2.50 |
| WRNF-060 | 60  | 55  | 15.0 | 2.50 | WRNF-060 | 60  | 55  | 20.0 | 2.50 |
| WRNF-063 | 63  | 58  | 15.0 | 2.50 | WRNF-063 | 63  | 58  | 20.0 | 2.50 |
| WRNF-065 | 65  | 60  | 15.0 | 2.50 | WRNF-065 | 65  | 60  | 20.0 | 2.50 |
| WRNF-070 | 70  | 65  | 15.0 | 2.50 | WRNF-070 | 70  | 65  | 20.0 | 2.50 |
| WRNF-075 | 75  | 70  | 15.0 | 2.50 | WRNF-071 | 71  | 66  | 20.0 | 2.50 |
| WRNF-080 | 80  | 75  | 15.0 | 2.50 | WRNF-075 | 75  | 70  | 20.0 | 2.50 |
| WRNF-085 | 85  | 80  | 15.0 | 2.50 | WRNF-080 | 80  | 75  | 20.0 | 2.50 |
| WRNF-090 | 90  | 85  | 15.0 | 2.50 | WRNF-085 | 85  | 80  | 20.0 | 2.50 |
| WRNF-095 | 95  | 90  | 15.0 | 2.50 | WRNF-090 | 90  | 85  | 20.0 | 2.50 |
| WRNF-100 | 100 | 95  | 15.0 | 2.50 | WRNF-100 | 100 | 95  | 20.0 | 2.50 |
| WRNF-105 | 105 | 100 | 15.0 | 2.50 | WRNF-105 | 105 | 100 | 20.0 | 2.50 |
| WRNF-110 | 110 | 105 | 15.0 | 2.50 | WRNF-110 | 110 | 105 | 20.0 | 2.50 |
| WRNF-115 | 115 | 110 | 15.0 | 2.50 | WRNF-115 | 115 | 110 | 20.0 | 2.50 |
| WRNF-120 | 120 | 115 | 15.0 | 2.50 | WRNF-120 | 120 | 115 | 20.0 | 2.50 |
| WRNF-125 | 125 | 120 | 15.0 | 2.50 | WRNF-125 | 125 | 120 | 20.0 | 2.50 |
| WRNF-130 | 130 | 125 | 15.0 | 2.50 | WRNF-130 | 130 | 125 | 20.0 | 2.50 |
| WRNF-135 | 135 | 130 | 15.0 | 2.50 | WRNF-135 | 135 | 130 | 20.0 | 2.50 |
| WRNF-140 | 140 | 135 | 15.0 | 2.50 | WRNF-140 | 140 | 135 | 20.0 | 2.50 |
| WRNF-145 | 145 | 140 | 15.0 | 2.50 | WRNF-145 | 145 | 140 | 20.0 | 2.50 |
| WRNF-150 | 150 | 145 | 15.0 | 2.50 | WRNF-150 | 150 | 145 | 20.0 | 2.50 |
| WRNF-155 | 155 | 150 | 15.0 | 2.50 | WRNF-155 | 155 | 150 | 20.0 | 2.50 |
| WRNF-160 | 160 | 155 | 15.0 | 2.50 | WRNF-160 | 160 | 155 | 20.0 | 2.50 |
| WRNF-165 | 165 | 160 | 15.0 | 2.50 | WRNF-165 | 165 | 160 | 20.0 | 2.50 |
| WRNF-170 | 170 | 165 | 15.0 | 2.50 | WRNF-180 | 180 | 175 | 20.0 | 2.50 |
| WRNF-175 | 175 | 170 | 15.0 | 2.50 | WRNF-190 | 190 | 185 | 20.0 | 2.50 |
| WRNF-190 | 190 | 185 | 15.0 | 2.50 | WRNF-200 | 200 | 195 | 20.0 | 2.50 |
| WRNF-200 | 200 | 195 | 15.0 | 2.50 | WRNF-215 | 215 | 210 | 20.0 | 2.50 |
| WRNF-205 | 205 | 200 | 15.0 | 2.50 | WRNF-220 | 220 | 215 | 20.0 | 2.50 |
| WRNF-220 | 220 | 215 | 15.0 | 2.50 | WRNF-250 | 250 | 245 | 20.0 | 2.50 |
| WRNF-230 | 230 | 225 | 15.0 | 2.50 | WRNF-055 | 55  | 50  | 25.0 | 2.50 |
| WRNF-250 | 250 | 245 | 15.0 | 2.50 | WRNF-060 | 60  | 55  | 25.0 | 2.50 |
| WRNF-300 | 300 | 295 | 15.0 | 2.50 | WRNF-065 | 65  | 60  | 25.0 | 2.50 |
| WRNF-045 | 45  | 40  | 15.0 | 2.50 | WRNF-070 | 70  | 65  | 25.0 | 2.50 |
| WRNF-085 | 85  | 80  | 15.0 | 2.50 | WRNF-075 | 75  | 70  | 25.0 | 2.50 |
| WRNF-135 | 135 | 130 | 15.0 | 2.50 | WRNF-085 | 85  | 80  | 25.0 | 2.50 |
| WRNF-140 | 140 | 135 | 15.0 | 2.50 | WRNF-090 | 90  | 85  | 25.0 | 2.50 |
| WRNF-160 | 160 | 155 | 15.0 | 2.50 | WRNF-095 | 95  | 90  | 25.0 | 2.50 |
| WRNF-130 | 130 | 125 | 15.7 | 2.50 | WRNF-100 | 100 | 95  | 25.0 | 2.50 |


# WRNF WEAR RING



| APPLICATION |             |
|-------------|-------------|
| MATERIAL    | NY+FIBER    |
| TEMP.       | -50°C~120°C |
| SPEED       | 1m/s        |

| ITEM     | OD  | ID  | h    | t    | ITEM     | OD  | ID  | h    | t    |
|----------|-----|-----|------|------|----------|-----|-----|------|------|
| WRNF-105 | 105 | 100 | 25.0 | 2.50 | WRNF-051 | 51  | 45  | 9.5  | 3.00 |
| WRNF-110 | 110 | 105 | 25.0 | 2.50 | WRNF-056 | 56  | 50  | 9.5  | 3.00 |
| WRNF-120 | 120 | 115 | 25.0 | 2.50 | WRNF-063 | 63  | 57  | 9.5  | 3.00 |
| WRNF-125 | 125 | 120 | 25.0 | 2.50 | WRNF-075 | 75  | 69  | 9.5  | 3.00 |
| WRNF-130 | 130 | 125 | 25.0 | 2.50 | WRNF-170 | 170 | 164 | 9.5  | 3.00 |
| WRNF-135 | 135 | 130 | 25.0 | 2.50 | WRNF-185 | 185 | 179 | 9.5  | 3.00 |
| WRNF-145 | 145 | 140 | 25.0 | 2.50 | WRNF-045 | 45  | 39  | 10.0 | 3.00 |
| WRNF-155 | 155 | 150 | 25.0 | 2.50 | WRNF-055 | 55  | 49  | 10.0 | 3.00 |
| WRNF-160 | 160 | 155 | 25.0 | 2.50 | WRNF-060 | 60  | 54  | 10.0 | 3.00 |
| WRNF-175 | 175 | 170 | 25.0 | 2.50 | WRNF-065 | 65  | 59  | 10.0 | 3.00 |
| WRNF-180 | 180 | 175 | 25.0 | 2.50 | WRNF-070 | 70  | 64  | 10.0 | 3.00 |
| WRNF-185 | 185 | 180 | 25.0 | 2.50 | WRNF-080 | 80  | 74  | 10.0 | 3.00 |
| WRNF-190 | 190 | 185 | 25.0 | 2.50 | WRNF-085 | 85  | 79  | 10.0 | 3.00 |
| WRNF-195 | 195 | 190 | 25.0 | 2.50 | WRNF-090 | 90  | 84  | 10.0 | 3.00 |
| WRNF-200 | 200 | 195 | 25.0 | 2.50 | WRNF-095 | 95  | 89  | 10.0 | 3.00 |
| WRNF-205 | 205 | 200 | 25.0 | 2.50 | WRNF-100 | 100 | 94  | 10.0 | 3.00 |
| WRNF-220 | 220 | 215 | 25.0 | 2.50 | WRNF-105 | 105 | 99  | 10.0 | 3.00 |
| WRNF-225 | 225 | 220 | 25.0 | 2.50 | WRNF-110 | 110 | 104 | 10.0 | 3.00 |
| WRNF-235 | 235 | 230 | 25.0 | 2.50 | WRNF-115 | 115 | 109 | 10.0 | 3.00 |
| WRNF-240 | 240 | 235 | 25.0 | 2.50 | WRNF-120 | 120 | 114 | 10.0 | 3.00 |
| WRNF-250 | 250 | 245 | 25.0 | 2.50 | WRNF-125 | 125 | 119 | 10.0 | 3.00 |
| WRNF-300 | 300 | 295 | 25.0 | 2.50 | WRNF-140 | 140 | 134 | 10.0 | 3.00 |
| WRNF-055 | 55  | 50  | 29.3 | 2.50 | WRNF-150 | 150 | 144 | 10.0 | 3.00 |
| WRNF-085 | 85  | 80  | 30.0 | 2.50 | WRNF-155 | 155 | 149 | 10.0 | 3.00 |
| WRNF-170 | 170 | 165 | 45.0 | 2.50 | WRNF-165 | 165 | 159 | 10.0 | 3.00 |
| WRNF-180 | 180 | 175 | 45.0 | 2.50 | WRNF-200 | 200 | 194 | 10.0 | 3.00 |
| WRNF-080 | 80  | 74  | 4.9  | 3.00 | WRNF-055 | 55  | 49  | 10.5 | 3.00 |
| WRNF-085 | 85  | 79  | 5.8  | 3.00 | WRNF-100 | 100 | 94  | 10.8 | 3.00 |
| WRNF-065 | 65  | 59  | 5.9  | 3.00 | WRNF-120 | 120 | 114 | 10.9 | 3.00 |
| WRNF-075 | 75  | 69  | 5.9  | 3.00 | WRNF-055 | 55  | 49  | 12.0 | 3.00 |
| WRNF-080 | 80  | 74  | 5.9  | 3.00 | WRNF-080 | 80  | 74  | 12.0 | 3.00 |
| WRNF-100 | 100 | 94  | 5.9  | 3.00 | WRNF-110 | 110 | 104 | 12.0 | 3.00 |
| WRNF-110 | 110 | 104 | 5.9  | 3.00 | WRNF-130 | 130 | 124 | 12.0 | 3.00 |
| WRNF-120 | 120 | 114 | 5.9  | 3.00 | WRNF-085 | 85  | 79  | 12.3 | 3.00 |
| WRNF-050 | 50  | 44  | 8.0  | 3.00 | WRNF-090 | 90  | 84  | 12.3 | 3.00 |
| WRNF-055 | 55  | 49  | 8.0  | 3.00 | WRNF-100 | 100 | 94  | 12.3 | 3.00 |
| WRNF-095 | 95  | 89  | 8.0  | 3.00 | WRNF-105 | 105 | 99  | 12.3 | 3.00 |
| WRNF-100 | 100 | 94  | 8.8  | 3.00 | WRNF-055 | 55  | 49  | 12.7 | 3.00 |
| WRNF-055 | 55  | 49  | 9.4  | 3.00 | WRNF-056 | 56  | 50  | 12.7 | 3.00 |
| WRNF-046 | 46  | 40  | 9.5  | 3.00 | WRNF-060 | 60  | 54  | 12.7 | 3.00 |
| WRNF-050 | 50  | 44  | 9.5  | 3.00 | WRNF-066 | 66  | 60  | 12.7 | 3.00 |


# WRNF WEAR RING



| APPLICATION |             |
|-------------|-------------|
| MATERIAL    | NY+FIBER    |
| TEMP.       | -50°C~120°C |
| SPEED       | 1m/s        |


| ITEM      | OD  | ID  | h    | t    | ITEM     | OD  | ID  | h    | t    |
|-----------|-----|-----|------|------|----------|-----|-----|------|------|
| WRNF-070  | 70  | 64  | 12.7 | 3.00 | WRNF-130 | 130 | 124 | 15.0 | 3.00 |
| WRNF-075  | 75  | 69  | 12.7 | 3.00 | WRNF-140 | 140 | 134 | 15.0 | 3.00 |
| WRNF-080  | 80  | 74  | 12.7 | 3.00 | WRNF-150 | 150 | 144 | 15.0 | 3.00 |
| WRNF-093  | 93  | 87  | 12.7 | 3.00 | WRNF-165 | 165 | 159 | 15.0 | 3.00 |
| WRNF-095  | 95  | 89  | 12.7 | 3.00 | WRNF-190 | 190 | 184 | 15.0 | 3.00 |
| WRNF-110  | 110 | 104 | 12.7 | 3.00 | WRNF-200 | 200 | 194 | 15.0 | 3.00 |
| WRNF-112  | 112 | 106 | 12.7 | 3.00 | WRNF-220 | 220 | 214 | 15.0 | 3.00 |
| WRNF-125  | 125 | 119 | 12.7 | 3.00 | WRNF-230 | 230 | 224 | 15.0 | 3.00 |
| WRNF-131  | 131 | 125 | 12.7 | 3.00 | WRNF-250 | 250 | 244 | 15.0 | 3.00 |
| WRNF-063  | 63  | 57  | 12.8 | 3.00 | WRNF-055 | 55  | 49  | 16.0 | 3.00 |
| WRNF-065  | 65  | 59  | 12.8 | 3.00 | WRNF-060 | 60  | 54  | 16.0 | 3.00 |
| WRNF-076  | 76  | 70  | 12.8 | 3.00 | WRNF-065 | 65  | 59  | 16.0 | 3.00 |
| WRNF-085  | 85  | 79  | 12.8 | 3.00 | WRNF-070 | 70  | 64  | 16.0 | 3.00 |
| WRNF-086  | 86  | 80  | 12.8 | 3.00 | WRNF-090 | 90  | 84  | 16.0 | 3.00 |
| WRNF-090  | 90  | 84  | 12.8 | 3.00 | WRNF-127 | 127 | 121 | 16.0 | 3.00 |
| WRNF-096  | 96  | 90  | 12.8 | 3.00 | WRNF-170 | 170 | 164 | 19.0 | 3.00 |
| WRNF-100  | 100 | 94  | 12.8 | 3.00 | WRNF-040 | 40  | 34  | 20.0 | 3.00 |
| WRNF-111  | 111 | 105 | 12.8 | 3.00 | WRNF-050 | 50  | 44  | 20.0 | 3.00 |
| WRNF-126  | 126 | 120 | 12.8 | 3.00 | WRNF-055 | 55  | 49  | 20.0 | 3.00 |
| WRNF-136  | 136 | 130 | 12.8 | 3.00 | WRNF-060 | 60  | 54  | 20.0 | 3.00 |
| WRNF-140  | 140 | 134 | 12.8 | 3.00 | WRNF-070 | 70  | 64  | 20.0 | 3.00 |
| WRNF-146  | 146 | 140 | 12.8 | 3.00 | WRNF-075 | 75  | 69  | 20.0 | 3.00 |
| WRNF-150  | 150 | 144 | 12.8 | 3.00 | WRNF-080 | 80  | 74  | 20.0 | 3.00 |
| WRNF-140  | 140 | 134 | 13.8 | 3.00 | WRNF-085 | 85  | 79  | 20.0 | 3.00 |
| WRNF-145  | 45  | 39  | 15.0 | 3.00 | WRNF-090 | 90  | 84  | 20.0 | 3.00 |
| WRNF-050  | 50  | 44  | 15.0 | 3.00 | WRNF-095 | 95  | 89  | 20.0 | 3.00 |
| WRNF-055  | 55  | 49  | 15.0 | 3.00 | WRNF-100 | 100 | 94  | 20.0 | 3.00 |
| WRNF-060  | 60  | 54  | 15.0 | 3.00 | WRNF-101 | 101 | 95  | 20.0 | 3.00 |
| WRNF-055  | 65  | 59  | 15.0 | 3.00 | WRNF-110 | 110 | 104 | 20.0 | 3.00 |
| WRNF-070  | 70  | 64  | 15.0 | 3.00 | WRNF-115 | 115 | 109 | 20.0 | 3.00 |
| WRNF-075  | 75  | 69  | 15.0 | 3.00 | WRNF-125 | 125 | 119 | 20.0 | 3.00 |
| WRNF-080  | 80  | 74  | 15.0 | 3.00 | WRNF-130 | 130 | 124 | 20.0 | 3.00 |
| WRNF-085  | 85  | 79  | 15.0 | 3.00 | WRNF-150 | 150 | 144 | 20.0 | 3.00 |
| WRNF-090  | 90  | 84  | 15.0 | 3.00 | WRNF-165 | 165 | 159 | 20.0 | 3.00 |
| WRNF-095  | 95  | 89  | 15.0 | 3.00 | WRNF-190 | 190 | 184 | 20.0 | 3.00 |
| WRNF-100  | 100 | 94  | 15.0 | 3.00 | WRNF-200 | 200 | 194 | 20.0 | 3.00 |
| WRNF-105  | 105 | 99  | 15.0 | 3.00 | WRNF-215 | 215 | 209 | 20.0 | 3.00 |
| WRNF-110  | 110 | 104 | 15.0 | 3.00 | WRNF-250 | 250 | 244 | 20.0 | 3.00 |
| WRNF-115  | 115 | 109 | 15.0 | 3.00 | WRNF-110 | 110 | 104 | 22.0 | 3.00 |
| WRNF-0120 | 120 | 114 | 15.0 | 3.00 | WRNF-051 | 51  | 45  | 22.2 | 3.00 |
| WRNF-125  | 125 | 119 | 15.0 | 3.00 | WRNF-100 | 100 | 94  | 22.4 | 3.00 |

# WRNF WEAR RING




| APPLICATION |             |
|-------------|-------------|
| MATERIAL    | NY+FIBER    |
| TEMP.       | -50°C~120°C |
| SPEED       | 1m/s        |

| ITEM     | OD  | ID    | h    | t    | ITEM       | OD    | ID     | h    | t    |
|----------|-----|-------|------|------|------------|-------|--------|------|------|
| WRNF-120 | 120 | 114   | 22.4 | 3.00 | WRNF-114.3 | 114.3 | 107.95 | 12.7 | 3.18 |
| WRNF-105 | 105 | 99    | 24.5 | 3.00 | WRNF-127   | 127   | 120.65 | 12.7 | 3.18 |
| WRNF-56  | 56  | 50    | 25.0 | 3.00 | WRNF-127   | 127   | 120.65 | 15.8 | 3.18 |
| WRNF-062 | 62  | 56    | 25.0 | 3.00 | WRNF-120   | 120   | 113.6  | 15.0 | 3.20 |
| WRNF-069 | 69  | 63    | 25.0 | 3.00 | WRNF-125   | 125   | 118.6  | 15.0 | 3.20 |
| WRNF-075 | 75  | 69    | 25.0 | 3.00 | WRNF-135   | 135   | 128.6  | 19.3 | 3.20 |
| WRNF-080 | 80  | 74    | 25.0 | 3.00 | WRNF-105   | 105   | 98.6   | 19.4 | 3.20 |
| WRNF-085 | 85  | 79    | 25.0 | 3.00 | WRNF-145   | 145   | 138.6  | 19.4 | 3.20 |
| WRNF-090 | 90  | 84    | 25.0 | 3.00 | WRNF-165   | 165   | 158.6  | 19.4 | 3.20 |
| WRNF-095 | 95  | 89    | 25.0 | 3.00 | WRNF-080   | 80    | 73.6   | 24.3 | 3.20 |
| WRNF-100 | 100 | 94    | 25.0 | 3.00 | WRNF-090   | 90    | 83.4   | 12.5 | 3.30 |
| WRNF-110 | 110 | 104   | 25.0 | 3.00 | WRNF-100   | 100   | 93.4   | 16.3 | 3.30 |
| WRNF-115 | 115 | 109   | 25.0 | 3.00 | WRNF-080   | 80    | 73.4   | 24.3 | 3.30 |
| WRNF-120 | 120 | 114   | 25.0 | 3.00 | WRNF-063   | 63    | 56.4   | 16.3 | 3.30 |
| WRNF-140 | 140 | 134   | 25.0 | 3.00 | WRNF-050   | 50    | 43     | 9.3  | 3.50 |
| WRNF-150 | 150 | 144   | 25.0 | 3.00 | WRNF-135   | 135   | 128    | 9.5  | 3.50 |
| WRNF-215 | 215 | 209   | 25.0 | 3.00 | WRNF-130   | 130   | 123    | 10.0 | 3.50 |
| WRNF-225 | 225 | 219   | 25.0 | 3.00 | WRNF-145   | 145   | 138    | 10.0 | 3.50 |
| WRNF-250 | 250 | 244   | 25.0 | 3.00 | WRNF-110   | 110   | 103    | 12.5 | 3.50 |
| WRNF-100 | 100 | 94    | 28.3 | 3.00 | WRNF-120   | 120   | 113    | 12.5 | 3.50 |
| WRNF-069 | 69  | 63    | 30.0 | 3.00 | WRNF-130   | 130   | 123    | 12.5 | 3.50 |
| WRNF-080 | 80  | 74    | 30.0 | 3.00 | WRNF-120   | 120   | 113    | 15.0 | 3.50 |
| WRNF-90  | 90  | 84    | 30.0 | 3.00 | WRNF-130   | 130   | 123    | 15.0 | 3.50 |
| WRNF-100 | 100 | 94    | 30.0 | 3.00 | WRNF-135   | 135   | 128    | 15.0 | 3.50 |
| WRNF-110 | 110 | 104   | 30.0 | 3.00 | WRNF-145   | 145   | 138    | 15.0 | 3.50 |
| WRNF-115 | 115 | 109   | 30.0 | 3.00 | WRNF-150   | 150   | 143    | 15.0 | 3.50 |
| WRNF-120 | 120 | 114   | 30.0 | 3.00 | WRNF-165   | 165   | 158    | 15.0 | 3.50 |
| WRNF-130 | 130 | 124   | 30.0 | 3.00 | WRNF-115   | 115   | 108    | 16.5 | 3.50 |
| WRNF-140 | 140 | 134   | 30.0 | 3.00 | WRNF-125   | 125   | 118    | 16.5 | 3.50 |
| WRNF-165 | 165 | 159   | 30.0 | 3.00 | WRNF-130   | 130   | 123    | 16.5 | 3.50 |
| WRNF-190 | 190 | 184   | 30.0 | 3.00 | WRNF-140   | 140   | 133    | 17.5 | 3.50 |
| WRNF-110 | 110 | 104   | 35.0 | 3.00 | WRNF-150   | 150   | 143    | 17.5 | 3.50 |
| WRNF-120 | 120 | 114   | 35.0 | 3.00 | WRNF-115   | 115   | 108    | 20.0 | 3.50 |
| WRNF-150 | 150 | 144   | 35.0 | 3.00 | WRNF-125   | 125   | 118    | 20.0 | 3.50 |
| WRNF-120 | 120 | 114   | 40.0 | 3.00 | WRNF-130   | 130   | 123    | 20.0 | 3.50 |
| WRNF-086 | 86  | 80    | 50.0 | 3.00 | WRNF-135   | 135   | 128    | 20.0 | 3.50 |
| WRNF-200 | 200 | 194   | 60.0 | 3.00 | WRNF-140   | 140   | 133    | 20.0 | 3.50 |
| WRNF-220 | 220 | 214   | 60.0 | 3.00 | WRNF-145   | 145   | 138    | 20.0 | 3.50 |
| WRNF-115 | 115 | 108.8 | 8.0  | 3.10 | WRNF-150   | 150   | 143    | 20.0 | 3.50 |
| WRNF-090 | 90  | 83.7  | 15.0 | 3.15 | WRNF-160   | 160   | 153    | 20.0 | 3.50 |
| WRNF-060 | 60  | 53.66 | 12.7 | 3.17 | WRNF-160   | 160   | 153    | 20.3 | 3.50 |




| ITEM     | OD  | ID    | h    | t    | ITEM     | OD  | ID  | h   | t    |
|----------|-----|-------|------|------|----------|-----|-----|-----|------|
| WRNF-150 | 150 | 143   | 20.5 | 3.50 | WRNF-105 | 105 | 97  | 4.0 | 4.00 |
| WRNF-086 | 86  | 79    | 25.0 | 3.50 | WRNF-115 | 115 | 107 | 4.0 | 4.00 |
| WRNF-115 | 115 | 108   | 25.0 | 3.50 | WRNF-95  | 95  | 87  | 5.8 | 4.00 |
| WRNF-130 | 130 | 123   | 25.0 | 3.50 | WRNF-070 | 70  | 62  | 6.0 | 4.00 |
| WRNF-135 | 135 | 128   | 25.0 | 3.50 | WRNF-085 | 85  | 77  | 6.0 | 4.00 |
| WRNF-165 | 165 | 158   | 25.0 | 3.50 | WRNF-090 | 90  | 82  | 6.0 | 4.00 |
| WRNF-180 | 180 | 173   | 25.0 | 3.50 | WRNF-095 | 95  | 87  | 6.0 | 4.00 |
| WRNF-135 | 135 | 128   | 27.8 | 3.50 | WRNF-100 | 100 | 92  | 6.0 | 4.00 |
| WRNF-130 | 130 | 123   | 30.0 | 3.50 | WRNF-105 | 105 | 97  | 6.0 | 4.00 |
| WRNF-140 | 140 | 133   | 30.0 | 3.50 | WRNF-115 | 115 | 107 | 6.0 | 4.00 |
| WRNF-190 | 190 | 183   | 30.0 | 3.50 | WRNF-120 | 120 | 112 | 6.0 | 4.00 |
| WRNF-140 | 140 | 133   | 35.0 | 3.50 | WRNF-125 | 125 | 117 | 6.0 | 4.00 |
| WRNF-150 | 150 | 143   | 35.0 | 3.50 | WRNF-130 | 130 | 122 | 6.0 | 4.00 |
| WRNF-120 | 120 | 113   | 40.0 | 3.50 | WRNF-135 | 135 | 127 | 6.0 | 4.00 |
| WRNF-130 | 130 | 123   | 40.0 | 3.50 | WRNF-140 | 140 | 132 | 6.0 | 4.00 |
| WRNF-140 | 140 | 133   | 40.0 | 3.50 | WRNF-145 | 145 | 137 | 6.0 | 4.00 |
| WRNF-146 | 146 | 139   | 40.0 | 3.50 | WRNF-150 | 150 | 142 | 6.0 | 4.00 |
| WRNF-150 | 150 | 143   | 40.0 | 3.50 | WRNF-160 | 160 | 152 | 6.0 | 4.00 |
| WRNF-170 | 170 | 163   | 40.0 | 3.50 | WRNF-170 | 170 | 162 | 6.0 | 4.00 |
| WRNF-160 | 160 | 153   | 40.0 | 3.50 | WRNF-175 | 175 | 167 | 6.0 | 4.00 |
| WRNF-140 | 140 | 133   | 45.0 | 3.50 | WRNF-095 | 95  | 87  | 8.0 | 4.00 |
| WRNF-150 | 150 | 143   | 45.0 | 3.50 | WRNF-100 | 100 | 92  | 8.0 | 4.00 |
| WRNF-160 | 160 | 153   | 45.0 | 3.50 | WRNF-105 | 105 | 97  | 8.0 | 4.00 |
| WRNF-170 | 170 | 162.4 | 25.0 | 3.80 | WRNF-110 | 110 | 102 | 8.0 | 4.00 |
| WRNF-135 | 135 | 127.3 | 9.9  | 3.85 | WRNF-115 | 115 | 107 | 8.0 | 4.00 |
| WRNF-070 | 70  | 62    | 3.8  | 4.00 | WRNF-125 | 125 | 117 | 8.0 | 4.00 |
| WRNF-075 | 75  | 67    | 3.8  | 4.00 | WRNF-135 | 135 | 127 | 8.0 | 4.00 |
| WRNF-080 | 80  | 72    | 3.8  | 4.00 | WRNF-140 | 140 | 132 | 8.0 | 4.00 |
| WRNF-085 | 85  | 77    | 3.8  | 4.00 | WRNF-145 | 145 | 137 | 8.0 | 4.00 |
| WRNF-090 | 90  | 82    | 3.8  | 4.00 | WRNF-150 | 150 | 142 | 8.0 | 4.00 |
| WRNF-095 | 95  | 87    | 3.8  | 4.00 | WRNF-160 | 160 | 152 | 8.0 | 4.00 |
| WRNF-100 | 100 | 92    | 3.8  | 4.00 | WRNF-170 | 170 | 162 | 8.0 | 4.00 |
| WRNF-105 | 105 | 97    | 3.8  | 4.00 | WRNF-190 | 190 | 182 | 8.0 | 4.00 |
| WRNF-115 | 115 | 107   | 3.9  | 4.00 | WRNF-200 | 200 | 192 | 8.0 | 4.00 |
| WRNF-070 | 70  | 62    | 4.0  | 4.00 | WRNF-120 | 120 | 112 | 7.9 | 4.00 |
| WRNF-075 | 75  | 67    | 4.0  | 4.00 | WRNF-130 | 130 | 122 | 7.9 | 4.00 |
| WRNF-080 | 80  | 72    | 4.0  | 4.00 | WRNF-170 | 170 | 162 | 9.0 | 4.00 |
| WRNF-085 | 85  | 77    | 4.0  | 4.00 | WRNF-170 | 170 | 162 | 9.4 | 4.00 |
| WRNF-090 | 90  | 82    | 4.0  | 4.00 | WRNF-095 | 95  | 87  | 9.5 | 4.00 |
| WRNF-095 | 95  | 87    | 4.0  | 4.00 | WRNF-105 | 105 | 97  | 9.5 | 4.00 |
| WRNF-100 | 100 | 92    | 4.0  | 4.00 | WRNF-110 | 110 | 102 | 9.5 | 4.00 |



| ITEM     | OD  | ID  | h    | t    | ITEM     | OD  | ID  | h    | t    |
|----------|-----|-----|------|------|----------|-----|-----|------|------|
| WRNF-115 | 115 | 107 | 9.5  | 4.00 | WRNF-180 | 180 | 172 | 21.8 | 4.00 |
| WRNF-120 | 120 | 112 | 9.5  | 4.00 | WRNF-170 | 170 | 162 | 22.3 | 4.00 |
| WRNF-125 | 125 | 117 | 9.5  | 4.00 | WRNF-180 | 180 | 172 | 22.3 | 4.00 |
| WRNF-130 | 130 | 122 | 9.5  | 4.00 | WRNF-200 | 200 | 192 | 22.5 | 4.00 |
| WRNF-135 | 135 | 127 | 9.5  | 4.00 | WRNF-220 | 220 | 212 | 22.3 | 4.00 |
| WRNF-140 | 140 | 132 | 9.5  | 4.00 | WRNF-165 | 165 | 157 | 24.8 | 4.00 |
| WRNF-145 | 145 | 137 | 9.5  | 4.00 | WRNF-170 | 170 | 162 | 24.8 | 4.00 |
| WRNF-150 | 150 | 142 | 9.5  | 4.00 | WRNF-175 | 175 | 167 | 24.8 | 4.00 |
| WRNF-160 | 160 | 152 | 9.5  | 4.00 | WRNF-180 | 180 | 172 | 24.8 | 4.00 |
| WRNF-165 | 165 | 157 | 9.5  | 4.00 | WRNF-185 | 185 | 177 | 24.8 | 4.00 |
| WRNF-170 | 170 | 162 | 9.5  | 4.00 | WRNF-190 | 190 | 182 | 24.8 | 4.00 |
| WRNF-180 | 180 | 172 | 9.5  | 4.00 | WRNF-200 | 200 | 192 | 24.8 | 4.00 |
| WRNF-190 | 190 | 182 | 9.5  | 4.00 | WRNF-225 | 225 | 217 | 24.8 | 4.00 |
| WRNF-200 | 200 | 192 | 9.5  | 4.00 | WRNF-250 | 250 | 242 | 24.8 | 4.00 |
| WRNF-500 | 500 | 492 | 9.5  | 4.00 | WRNF-310 | 310 | 302 | 24.8 | 4.00 |
| WRNF-070 | 70  | 62  | 11.8 | 4.00 | WRNF-360 | 360 | 352 | 24.8 | 4.00 |
| WRNF-075 | 75  | 67  | 11.8 | 4.00 | WRNF-210 | 210 | 202 | 28.3 | 4.00 |
| WRNF-080 | 80  | 72  | 11.8 | 4.00 | WRNF-220 | 220 | 212 | 28.3 | 4.00 |
| WRNF-085 | 85  | 77  | 11.8 | 4.00 | WRNF-190 | 190 | 182 | 28.5 | 4.00 |
| WRNF-105 | 105 | 97  | 14.5 | 4.00 | WRNF-225 | 225 | 217 | 29.8 | 4.00 |
| WRNF-110 | 110 | 102 | 14.5 | 4.00 | WRNF-300 | 300 | 292 | 29.8 | 4.00 |
| WRNF-080 | 80  | 72  | 14.8 | 4.00 | WRNF-240 | 240 | 232 | 34.8 | 4.00 |
| WRNF-085 | 85  | 77  | 14.8 | 4.00 | WRNF-170 | 170 | 162 | 45.0 | 4.00 |
| WRNF-090 | 90  | 82  | 14.8 | 4.00 | WRNF-180 | 180 | 172 | 45.0 | 4.00 |
| WRNF-095 | 95  | 87  | 14.8 | 4.00 | WRNF-190 | 190 | 182 | 45.0 | 4.00 |
| WRNF-100 | 100 | 92  | 14.8 | 4.00 | WRNF-200 | 200 | 192 | 45.0 | 4.00 |
| WRNF-115 | 115 | 107 | 14.8 | 4.00 | WRNF-140 | 140 | 132 | 47.8 | 4.00 |
| WRNF-120 | 120 | 112 | 14.8 | 4.00 | WRNF-112 | 112 | 104 | 49.8 | 4.00 |
| WRNF-125 | 125 | 117 | 14.8 | 4.00 | WRNF-170 | 170 | 162 | 49.8 | 4.00 |
| WRNF-135 | 135 | 127 | 14.8 | 4.00 | WRNF-225 | 225 | 217 | 49.8 | 4.00 |
| WRNF-160 | 160 | 152 | 14.8 | 4.00 | WRNF-180 | 180 | 172 | 54.8 | 4.00 |
| WRNF-165 | 165 | 157 | 14.8 | 4.00 | WRNF-190 | 190 | 182 | 54.8 | 4.00 |
| WRNF-170 | 170 | 162 | 14.8 | 4.00 | WRNF-250 | 250 | 242 | 54.8 | 4.00 |
| WRNF-180 | 180 | 172 | 14.8 | 4.00 | WRNF-250 | 250 | 242 | 55.0 | 4.00 |
| WRNF-190 | 190 | 182 | 14.8 | 4.00 | WRNF-110 | 110 | 101 | 5.9  | 4.50 |
| WRNF-115 | 115 | 107 | 20.0 | 4.00 | WRNF-120 | 120 | 111 | 5.9  | 4.50 |
| WRNF-150 | 150 | 142 | 20.0 | 4.00 | WRNF-090 | 90  | 81  | 10.0 | 4.50 |
| WRNF-170 | 170 | 162 | 20.0 | 4.00 | WRNF-095 | 95  | 86  | 10.0 | 4.50 |
| WRNF-190 | 190 | 182 | 20.0 | 4.00 | WRNF-100 | 100 | 91  | 10.0 | 4.50 |
| WRNF-200 | 200 | 192 | 20.0 | 4.00 | WRNF-105 | 105 | 96  | 10.0 | 4.50 |
| WRNF-140 | 140 | 132 | 21.8 | 4.00 | WRNF-110 | 110 | 101 | 10.0 | 4.50 |

# WRNF WEAR RING



| APPLICATION |             |
|-------------|-------------|
| MATERIAL    | NY+FIBER    |
| TEMP.       | -50°C~120°C |
| SPEED       | 1m/s        |

| ITEM     | OD  | ID    | h    | t    | ITEM     | OD  | ID  | h    | t    |
|----------|-----|-------|------|------|----------|-----|-----|------|------|
| WRNF-115 | 115 | 106   | 10.0 | 4.50 | WRNF-185 | 185 | 175 | 15.0 | 5.00 |
| WRNF-120 | 120 | 111   | 10.0 | 4.50 | WRNF-225 | 225 | 215 | 25.0 | 5.00 |
| WRNF-125 | 125 | 116   | 10.0 | 4.50 | WRNF-130 | 130 | 119 | 15.0 | 5.50 |
| WRNF-090 | 90  | 81    | 12.5 | 4.50 | WRNF-225 | 225 | 214 | 50.0 | 5.50 |
| WRNF-095 | 95  | 86    | 12.5 | 4.50 | WRNF-140 | 140 | 128 | 10.0 | 6.00 |
| WRNF-100 | 100 | 91    | 12.5 | 4.50 | WRNF-140 | 140 | 128 | 12.5 | 6.00 |
| WRNF-105 | 105 | 96    | 12.5 | 4.50 | WRNF-150 | 150 | 138 | 12.5 | 6.00 |
| WRNF-110 | 110 | 101   | 12.5 | 4.50 | WRNF-145 | 145 | 133 | 12.5 | 6.00 |
| WRNF-115 | 115 | 106   | 15.0 | 4.50 | WRNF-160 | 160 | 148 | 14.8 | 6.00 |
| WRNF-120 | 120 | 111   | 15.0 | 4.50 | WRNF-140 | 140 | 128 | 17.5 | 6.00 |
| WRNF-135 | 135 | 126   | 30.0 | 4.50 | WRNF-150 | 150 | 138 | 17.5 | 6.00 |
| WRNF-254 | 254 | 244.4 | 60.0 | 4.80 | WRNF-150 | 150 | 138 | 20.0 | 6.00 |
| WRNF-125 | 125 | 115   | 10.0 | 5.00 | WRNF-160 | 160 | 148 | 20.0 | 6.00 |
| WRNF-130 | 130 | 120   | 10.0 | 5.00 | WRNF-170 | 170 | 158 | 20.0 | 6.00 |
| WRNF-135 | 135 | 125   | 10.0 | 5.00 | WRNF-180 | 180 | 168 | 22.5 | 6.00 |
| WRNF-140 | 140 | 130   | 10.0 | 5.00 | WRNF-185 | 185 | 173 | 22.5 | 6.00 |
| WRNF-125 | 125 | 115   | 15.0 | 5.00 | WRNF-200 | 200 | 188 | 22.5 | 6.00 |
| WRNF-130 | 130 | 120   | 15.0 | 5.00 | WRNF-225 | 225 | 213 | 25.0 | 6.00 |
| WRNF-135 | 135 | 125   | 15.0 | 5.00 | WRNF-250 | 250 | 238 | 27.5 | 6.00 |
| WRNF-140 | 140 | 130   | 15.0 | 5.00 | WRNF-430 | 430 | 417 | 50.0 | 6.50 |